



Ihr Edelstahl Partner



Edelstahlkatalog






Der Fachhandel für Pneumatik, Druckluft und Industriebedarf


Preise bitte anfragen


Nutmutter für Kegelstutzen F, DIN 11 851						Artikel: NMKF				
<i>nut DIN 11851</i>	DN	a	b	c	d	e	kg	Art-Nr	<u>1.4301</u>	<u>1.4404</u>
	10	18	15	19	Rd 28x1/8"	38	0,07	NMKF10		
	15	18	15	25	Rd 34x1/8"	44	0,08	NMKF15		
	20	21	18	31	Rd 44x1/8"	54	0,13	NMKF20		
	25	21	18	36	Rd 52x1/6"	63	0,18	NMKF25		
	32	21	18	42	Rd 58x1/6"	70	0,22	NMKF32		
	40	21	18	49	Rd 65x1/6"	78	0,25	NMKF40		
	50	22	19	62	Rd 78x1/6"	92	0,34	NMKF50		
	65	25	21	80	Rd 95x1/6"	112	0,51	NMKF65		
	80	30	25	94	Rd 110x1/4"	127	0,75	NMKF80		
	100	31	26	115	Rd 130x1/4"	148	0,99	NMKF100		
	125	35	30	138	Rd 160x1/4"	178	1,43	NMKF125		
	150	40	34	164	Rd 190x1/4"	210	2,30	NMKF150		
200	44	38	215	Rd 240x1/4"	260	3,97	NMKF200			


Dichtring für Gewindestutzen DIN 11 851					Artikel: DFGS				
<i>sealring</i>	DN	a	b	c	Art-Nr	EPDM	NBR	Silikon	Viton
	10	4	12	20	DFGS10				
	15	4	18	26	DFGS15				
	20	4	23	33	DFGS20				
	25	5	30	40	DFGS25				
	32	5	36	46	DFGS32				
	40	5	42	52	DFGS40				
	50	5	54	64	DFGS50				
	65	5	71	81	DFGS60				
	80	5	85	95	DFGS65				
	100	6	104	114	DFGS100				
125	7	130	142	DFGS125					
150	7	155	167	DFGS150					


Schweiß-Gewindestutzen DIN 11851 lang SC						Artikel: SGSC				
<i>male (long)</i>	DN	a	b	c	d	e	kg	Art-Nr	<u>1.4301</u>	<u>1.4404</u>
	10	21	10	13	Rd 28x1/8"		0,03	SGSC10		
	15	21	16	19	Rd 34x1/8"		0,04	SGSC15		
	20	24	20	23	Rd 44x1/8"		0,08	SGSC20		
	25	29	26	29	Rd 52x1/6"		0,12	SGSC25		
	32	32	32	35	Rd 58x1/6"		0,14	SGSC32		
	40	33	38	41	Rd 65x1/6"		0,15	SGSC40		
	50	35	50	53	Rd 78x1/6"		0,24	SGSC50		
	65	40	66	70	Rd 95x1/6"		0,37	SGSC65		
	80	45	81	85	Rd 110x1/4"		0,54	SGSC80		
	100	54	100	104	Rd 130x1/4"		0,70	SGSC100		
	125	46	125	129	Rd 160x1/4"		1,13	SGSC125		
	150	50	150	154	Rd 190x1/4"		1,77	SGSC150		





Schweiß-Kegelstutzen SD DIN 11851 lang						Artikel: SSDL				
<i>liner (long)</i>	DN	a	b	c	d	e	kg	Art-Nr	<u>1.4301</u>	<u>1.4404</u>
	10	17	10	13	22,5		0,02	SKSDL10		
	15	17	16	19	28,5		0,03	SKSDL15		
	20	18	20	23	36,5		0,05	SKSDL20		
	25	22	26	29	44		0,08	SKSDL25		
	32	25	32	35	50		0,10	SKSDL32		
	40	26	38	41	56		0,12	SKSDL40		
	50	28	50	53	68,5		0,17	SKSDL50		
	65	32	66	70	86		0,29	SKSDL65		
	80	37	81	85	100		0,35	SKSDL80		
	100	44	100	104	121		0,57	SKSDL100		
	125	34	125	129	150		0,77	SKSDL125		
	150	37	150	154	176		1,01	SKSDL150		


Schweiß-Gewindestutzen DIN 11851 kurz						Artikel: SGCK				
male (short)	DN	a	b	c	d	e	kg	Art-Nr	1.4301	1.4404
	10	17	10	13	Rd 28x1/8"		0,04	SGCK10		
	15	17	16	19	Rd 34x1/8"		0,05	SGCK15		
	20	19	20	23	Rd 44x1/6"		0,07	SGCK20		
	25	22	26	29	Rd 52x1/6"		0,10	SGCK25		
	32	22	32	35	Rd 58x1/6"		0,12	SGCK32		
	40	22	38	41	Rd 65x1/6"		0,14	SGCK40		
	50	23	50	53	Rd 78x1/6"		0,17	SGCK50		
	65	25	66	70	Rd 95x1/6"		0,26	SGCK65		
	80	25	81	85	Rd 110x1/4"		0,39	SGCK80		
	100	30	100	104	Rd 130x1/4"		0,53	SGCK100		
	125	35,5	125	129	Rd 160x1/4"		0,74	SGCK125		
150	40	150	154	Rd 190x1/4"		1,36	SGCK150			

Schweiß-Kegelstutzen DIN 11851 kurz						Artikel: SKSK				
liner (short)	DN	a	b	c	d	e	kg	Art-Nr	1.4301	1.4404
	10	13	10	13	22,5		0,02	SKSK10		
	15	13	16	19	28,5		0,02	SKSK15		
	20	13	20	23	36,5		0,04	SKSK20		
	25	15	26	29	44		0,06	SKSK25		
	32	15	32	35	50		0,08	SKSK32		
	40	15	38	41	56		0,09	SKSK40		
	50	16	50	53	68,5		0,11	SKSK50		
	65	17	66	70	86		0,18	SKSK65		
	80	17	81	85	100		0,22	SKSK80		
	100	20	100	104	121		0,36	SKSK100		
	125	23,5	125	129	150		0,58	SKSK125		
150	27	150	154	176		0,86	SKSK150			

Gewindestutzen DIN / Zoll						Artikel: GSDZ				
Male DIN/inch	DN	a	b	c	d	e	kg	Art-Nr	1.4301	1.4404
	1"	29	22,9	25	Rd 52x1/6"		0,15	GSDZ10		
	1 1/4"	32	29,2	32	Rd 58x1/6"		0,19	GSDZ114		
	1 1/2"	33	35,1	37	Rd 65x1/6"		0,25	GSDZ112		
	2"	35	47,8	50	Rd 78x1/6"		0,34	GSDZ20		
	2 1/2"	40	60,5	62,5	Rd 95x1/6"		0,56	GSDZ212		
	3"	40	72,2	74	Rd 110x1/4"		0,42	GSDZ30		
	4"	54	97,6	99,5	Rd 130x1/4"		1,16	GSDZ40		

Kegelstutzen DIN / Zoll						Artikel: KSDZ				
liner DIN/inch	DN	a	b	c	d	e	kg	Art-Nr	1.4301	1.4404
	1"	22	22,9	25	44		0,10	KSDZ10		
	1 1/4"	25	29,2	32	50		0,12	KSDZ114		
	1 1/2"	26	35,1	37	56		0,15	KSDZ112		
	2"	28	47,8	50	68,5		0,21	KSDZ20		
	2 1/2"	32	60,5	62,5	86		0,37	KSDZ212		
	3"	32	72,2	74	93		0,34	KSDZ30		
	4"	44	97,6	99,5	121		0,82	KSDZ40		

Blindgewindestutzen DIN 11851						Artikel: BGST				
male blank	DN	a	b	c	d	SW	kg	Art-Nr	<u>1.4301</u>	<u>1.4404</u>
	10	22	10	22	Rd 28x1/8"	19	0,06	BGST10		
	15	22	10	25	Rd 34x1/8"	22	0,09	BGST15		
	20	24	10	34	Rd 44x1/6"	22	0,13	BGST20		
	25	24	10	34	Rd 52x1/6"	27	0,19	BGST25		
	32	24	10	34	Rd 58x1/6"	27	0,22	BGST32		
	40	24	10	34	Rd 65x1/6"	27	0,25	BGST40		
	50	24	10	34	Rd 78x1/6"	27	0,35	BGST50		
	65	26	10	34	Rd 95x1/6"	27	0,64	BGST65		
	80	26	10	34	Rd 110x1/4"	27	1,30	BGST80		
	100	30	10	34	Rd 130x1/4"	27	2,10	BGST100		
Blindkegelstutzen DIN 11851						Artikel: BKST				
liner blank	DN	a	b	c	d	e	kg	Art-Nr	<u>1.4301</u>	<u>1.4404</u>
	10	9,5	22,5	18,8		6	0,020	BKST10		
	15	9,5	28,5	24,8		6	0,040	BKST15		
	20	11,5	36	30,8		8	0,070	BKST20		
	25	13,5	44	35,8		10	0,120	BKST25		
	32	13,5	50	41,8		10	0,160	BKST32		
	40	13,5	56	48,8		10	0,220	BKST40		
	50	14,5	68,5	61,8		11	0,360	BKST50		
	65	16,5	86	79,8		12	0,660	BKST65		
	80	16,5	100	93,8		12	0,910	BKST80		
	100	20,5	121	114,8		15	1,660	BKST100		
125	22,5	150	137,8		17	2,840	BKST125			
150	24,5	176	163,8		18	4,290	BKST150			
Reduzierkegelstutzen DIN 11851						Artikel: RKS				
reducing liner	DN	a	b	c	d	e	kg	Art-Nr	<u>1.4301</u>	<u>1.4404</u>
	25/15	22						RKS25/15		
	32/15	23						RKS 32/15		
	32/25	23						RKS 32/25		
	40/15	20						RKS 40/15		
	40/20	25						RKS 40/20		
	40/25	25						RKS 40/25		
	40/32	20						RKS 40/32		
	50/25	23						RKS 50/25		
	50/32	28						RKS 50/32		
	50/40	23						RKS 50/40		
	65/25	26						RKS 65/25		
	65/32	32						RKS 65/32		
	65/40	32						RKS 65/40		
	65/50	26						RKS 65/50		
	80/40	27						RKS 80/40		
	80/50	36						RKS 80/50		
	80/65	30						RKS 80/65		
	100/50	31						RKS 100/50		
	100/65	40						RKS 100/65		
	100/80	40						RKS 100/80		

Blindmutter DIN 11851						Artikel: BLM				
Blind liner	DN	a	b	c	d	e	kg	Art-Nr	<u>1.4301</u>	<u>1.4404</u>
	10	18	15		Rd 28x1/8"	38	0,07	BLM10		
	15	18	15		Rd 34x1/8"	44	0,10	BLM15		
	20	21	18		Rd 44x1/6"	54	0,14	BLM20		
	25	21	18		Rd 52x1/6"	63	0,19	BLM25		
	32	21	18		Rd 58x1/6"	70	0,21	BLM32		
	40	21	18		Rd 65x1/6"	78	0,26	BLM40		
	50	22	19		Rd 78x1/6"	92	0,38	BLM50		
	65	25	21		Rd 95x1/6"	112	0,66	BLM65		
	80	30	26		Rd 110x1/4"	127	1,02	BLM80		
	100	31	26		Rd 130x1/4"	148	1,48	BLM100		
	125	35	30		Rd 160x1/4"	178	1,97	BLM125		
150	40	34		Rd 190x1/4"	210	3,28	BLM150			
200	44	38		Rd 240x1/4"	260	5,24	BLM200			
Blindmutter komplett						Artikel: BLMK				
Blind nut, complete	DN	a	b	c	d	e	kg	Art-Nr	<u>1.4301</u>	<u>1.4404</u>
	10		15		Rd 28x1/8"	38	0,13	BLMK10		
	15		15		Rd 34x1/8"	44	0,15	BLMK15		
	20		18		Rd 44x1/6"	54	0,19	BLMK20		
	25		18		Rd 52x1/6"	63	0,25	BLMK25		
	32		18		Rd 58x1/6"	70	0,29	BLMK32		
	40		18		Rd 65x1/6"	78	0,33	BLMK40		
	50		19		Rd 78x1/6"	92	0,46	BLMK50		
	65		21		Rd 95x1/6"	112	0,85	BLMK65		
	80		26		Rd 110x1/4"	127	1,11	BLMK80		
	100		26		Rd 130x1/4"	148	1,55	BLMK100		
	125		30		Rd 160x1/4"	178	2,18	BLMK125		
150		34		Rd 190x1/4"	210	3,04	BLMK150			
200		38		Rd 240x1/4"	260	5,22	BLMK200			
Dichtscheibe für Blindmutter						Artikel: DSBM				
seal disc	DN	d	s	S (PTFE)	Art-Nr	NBR weiß	FPM	EPDM	PTFE	
	10	28	3	1,5	DSBM10					
	15	34	3	1,5	DSBM15					
	20	44	3	1,5	DSBM20					
	25	52	3	1,5	DSBM25					
	32	58	3	1,5	DSBM32					
	40	65	3	1,5	DSBM40					
	50	78	3	1,5	DSBM50					
	65	95	3	1,5	DSBM65					
	80	110	3	1,5	DSBM80					
	100	130	3	1,5	DSBM100					
	125	160	4	1,5	DSBM125					
150	190	4	1,5	DSBM150						

Kegel-Einschraubstutzen DIN 11851						Artikel: KESRI				
<i>male thread liner adapter</i>	DN	a	b	c	d	e	kg	Art-Nr	<u>1.4301</u>	<u>1.4404</u>
	10	33	10	3/8"	22	12	0,15	KESRI38		
	15	35	16	1/2"	28	15	0,20	KESRI12		
	20	40	20	3/4"	36	15	0,29	KESRI34		
	25	50	26	1"	44	20	0,54	KESRI10		
	32	50	32	1 1/4"	50	20	0,56	KESRI114		
	40	50	38	1 1/2"	56	20	0,59	KESRI112		
	50	51	50	2"	68	22	0,86	KESRI20		
	65	55	66	2 1/2"	86	22	1,36	KESRI212		
	80	61	81	3"	100	25	1,61	KESRI30		
	100	70	100	4"	121	30	2,34	KESRI40		
Gewinde-Einschraubstutzen DIN 11851						Artikel: GESRI				
<i>male part adapter</i>	DN	a	b	c	d	e	kg	Art-Nr	<u>1.4301</u>	<u>1.4404</u>
	10	36	10	3/8"	Rd 28x1/8"	6	0,020	GESRI38		
	15	39	16	1/2"	Rd 34x1/8"	6	0,040	GESRI12		
	20	43	20	3/4"	Rd 44x1/6"	8	0,070	GESRI34		
	25	48	26	1"	Rd 52x1/6"	10	0,120	GESRI10		
	32	48	32	1 1/4"	Rd 58x1/6"	10	0,160	GESRI114		
	40	50	38	1 1/2"	Rd 65x1/6"	10	0,220	GESRI112		
	50	52	50	2"	Rd 78x1/6"	11	0,360	GESRI20		
	65	54	66	2 1/2"	Rd 95x1/6"	12	0,660	GESRI212		
	80	65	81	3"	Rd 110x1/4"	12	0,910	GESRI30		
	100	70	100	4"	Rd 130x1/4"	15	1,660	GESRI40		
Gewinde-Aufschraubstutzen DIN 11851						Artikel: GASRA				
<i>Female part adapter</i>	DN	a	b	c	d	e	kg	Art-Nr	<u>1.4301</u>	<u>1.4404</u>
	10	22	10	3/8"	Rd 28x1/8"	12		GASRA38		
	15	25	16	1/2"	Rd 34x1/8"	15		GASRA12		
	20	28	20	3/4"	Rd 44x1/6"	15		GASRA34		
	25	35	26	1"	Rd 52x1/6"	20		GASRA10		
	32	35	32	1 1/4"	Rd 58x1/6"	20		GASRA114		
	40	35	38	1 1/2"	Rd 65x1/6"	20		GASRA112		
	50	38	50	2"	Rd 78x1/6"	22		GASRA20		
	65	38	66	2 1/2"	Rd 95x1/6"	22		GASRA212		
	80	40	81	3"	Rd 110x1/4"	25		GASRA30		
	100	48	100	4"	Rd 130x1/4"	30		GASRA40		
Kegel-Aufschraubstutzen DIN 11851						Artikel: KASRA				
<i>female thread liner</i>	DN	a	b	c	d	e	kg	Art-Nr	<u>1.4301</u>	<u>1.4404</u>
	10	39		3/8"	22			KASRA38		
	15	41		1/2"	28			KASRA12		
	20	42		3/4"	36			KASRA34		
	25	52		1"	44			KASRA10		
	32	55		1 1/4"	50			KASRA114		
	40	56		1 1/2"	56			KASRA112		
	50	58		2"	68			KASRA20		
	65	64		2 1/2"	86			KASRA212		
	80	74		3"	100			KASRA30		
	100	89		4"	121			KASRA40		

Schlauch-Gewindestutzen DIN 11851							Artikel: SGS				
<i>male part hose fitting</i>	SW		a	b	c	d	e	kg	Art-Nr	<u>1.4301</u>	<u>1.4404</u>
	ø										
	13					Rd 34x1/8"			SGS15		
	19	71	23			Rd 44x1/8"	2x22		SGS20		
	25	76	25			Rd 52x1/6"	2x23		SGS25		
	32	82	32			Rd 58x1/6"	2x26		SGS32		
	40	97	40			Rd 65x1/6"	2x32,5		SGS40		
	50	109	50			Rd 78x1/6"	2x38		SGS50		
	65	127	65			Rd 95x1/6"	2x45		SGS65		
	80	144	80			Rd 110x1/4"	2x52		SGS80		
	100	161	100			Rd 130x1/4"	2x58		SGS100		
	Schlauch-Kegelstutzen DIN 11851							Artikel: SKS			
<i>liner hose fitting</i>	SW		a	b	c	d	e	kg	Art-Nr	<u>1.4301</u>	<u>1.4404</u>
	ø										
	9								SKS10		
	13								SKS15		
	19	65	23			26,0	2x22		SKS20		
	25	69	25			44,0	2x23		SKS25		
	32	75	32			50,0	2x26		SKS32		
	40	90	40			56,0	2x32,5		SKS40		
	50	102	50			68,5	2x38		SKS50		
	65	119	65			86,0	2x45		SKS65		
	80	136	80			100,0	2x52		SKS80		
	100	151	100		131"	121,0	2x58		SKS100		
Schlauch-Gewindestutzen mit Rohrtülle + Sicherungsbund glatt							Artikel: SGSRxxSB				
<i>male part hose fitting</i>	SW		a	b	c	d	e	kg	Art-Nr	<u>1.4301</u>	<u>1.4404</u>
	ø										
	9										
	13					Rd 34x1/8"					
	19					Rd 44x1/6"			SGSR20SB		
	25					Rd 52x1/6"			SGSR25 SB		
	32					Rd 58x1/6"			SGSR32 SB		
	40					Rd 65x1/6"			SGSR40 SB		
	50					Rd 78x1/6"			SGSR50 SB		
	65					Rd 95x1/6"			SGSR65 SB		
	80					Rd 110x1/4"			SGSR80 SB		
	100					Rd 130x1/4"			SGSR100 SB		
Schlauch-Kegelstutzen mit Rohrtülle + Sicherungsbund glatt							Artikel: SKSRxxSB				
<i>female thread liner</i>	SW		a	b	c	d	e	kg	Art-Nr	<u>1.4301</u>	<u>1.4404</u>
	ø										
	13								SKSR15 SB		
	19								SKSR20 SB		
	25								SKSR25 SB		
	32								SKSR32 SB		
	40								SKSR40 SB		
	50								SKSR50 SB		
	65								SKSR65 SB		
	80								SKSR80 SB		
	100								SKSR100 SB		